FIG. 1

# . 0.;	PROCE.	- FCC	TCC/R	TECIR	: Clri
0.001	≅P6	TCC	TOOK	TCE/R	Cirt.
0.005	PC/	TÇC:	TCC/R	TEEIR	: Etrit
0.01	PG	TCC	TCC/R	TCC/R	Cirtis
0.05	PG	TEC	TCC/R	TCCIR	Ctrl:
0.25	PSA	TCC/R	TCC/F	(COIR	Ctrl-≬
1	BPH	TCC	TCC/R	TCC/R	CH.

FIG. 2




FIG. 3




FIG. 4

				 γ					
	Blank.	·	0.01 STD	Blank	0.005 STD	Blank	Neg Con	Urine TCC	0.001 STD
	urine Hx TCC		urine Hx TCC	6-serum BPH	10-serum BI CA	1-serum BI CA	urine Hx TCC	3-serum P CA?	7-serum BI CA
	2-serum BI CA		urine Hx TCC	5-serum BI CA	9-serum BI CA	2-urine BI CA	urine Hx TCC	4-serum BI CA	8-serum BI CA
	2-urine BI CA		urine Hx TCC	4-serum BI CA	8-serum BI CA	2-serum BL CA	urine Hx TCC	Blank	9-serum BI CA
	1-serum BI CA		urine Hx TCC	3-serum P CA?	7-serum BI CA	urine Hx TCC	urine Hx TCC	6-serum BPH	Blank
	0.151D		Neg Con	0.01 STD	0.005 STD	0.001 STD	0.0005 STD	0.0001 STD	Blank

UESI AVAILABLE COPY